

CORRES. CONTROL
INCOMING LTR NO.

01348RF95

DUE
DATE

ACTION

DIST.	LTR	ENC
BURLINGAME, A.H.		
CARNIVAL, G.J.		
CORDOVA, R.C.		
DAVIS, J.G.		
FENN, T.M.		
FERRERA, D.W.		
FRAY, R.E.		
GEIS, J.A.		
GILMARTIN, J.T.		
GINTHER, B.		
GLOVER, W.S.		
GOLAN, P.M.		
HEALY, T.J.		
HEDAHL, T.G.		
HILBIG, J.G.		
HOLLOWELL, L.J.		
JACKSON, D.T.		
KELL, R.E.		
LEINWEBER, S.A.		
MARX, G.E.		
MCCART, D.		
MCDONALD, M.M.		
MCGOVERN, L.J.		
MCKENNA, F.G.		
PAUKERT, J.G.		
PIZZUTO, V.M.		
SATTERWHITE, D.G.		
SCHRADER, D.C.		
SCHUBERT, A.L.		
STIGER, S.G.	X	
STROBEL, G.L.		
TURNER, K.A.		
VOORHEIS, G.M.		
Mast E	X	
Peterson-Wright		
L.	X	

CORRES. CONTROL	X	X
ADMN RECORD/080	X	
PATS/T130G		

Reviewed for Addressee
Corres. Control RFP

5/12/95
DATE BY

Ref Ltr. #

DOE ORDER # 5400.1



Department of Energy

ROCKY FLATS FIELD OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

MAY 01 1995

2 APR 95 3:35

REFERS-CC-1

53902

95-DOE-08359

Mr. Martin Hestmark
U. S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Gentlemen:

The purpose of this letter is to follow-up on a previous letter (95-DOE-08298) dated April 10, 1995 which discussed the Department of Energy's (DOE) proposal to modify the Proposed Action Memorandum (PAM): Seep Collection and Treatment for Operable Unit 7, The Present Landfill.

DOE staff met with members of your staff (Mr. Carl Spreng and Mr. Arturo Duran) on April 25, 1995. The status of the PAM was discussed at that time. All parties agreed to change the title of the PAM to *Leachate Control for Operable Unit 7*. The parties also agreed that changing the scope of the PAM to repair/enhance the current slurry wall and groundwater intercept system on the north side of the landfill was more consistent with the final remedy. Groundwater modeling results have shown that 60% of the recharge to the seep would be eliminated by this approach. DOE will also continue to monitor the level of the East Landfill Pond and coordinate water transfers to Pond A-3 as agreed to in previous correspondence between our respective agencies.

DOE proposes that the schedule in Table 5-1 of the PAM be modified as follows:

Draft Document to CDPHE and EPA
Public Comment Period (30 days concurrently)
Final Document and Responsiveness Summary
to CDPHE and EPA
Begin Construction

June 21, 1995

August 7, 1995
October 23, 1995

DOE would appreciate written approval regarding these changes as soon as possible because the previous schedule calls for construction of the seep collection and treatment system to begin on May 15, 1995.

A-OU07-000240

MAY 01 1995

We look forward to your continued cooperative efforts. If you have any specific questions relative to this subject, please contact Peg Witherill at 966-6585.

Sincerely,



Steven W. Slaten
IAG Project Coordinator
Environmental Restoration

cc:

A. Duran, EPA
C. Spreng, CDPHE
J. Alquist, EM-452, HQ
H. Belancan, EM-453, HQ
L. Eckman, EM-453, HQ
M. Silverman, OOM, RFFO
K. Klein, OOM, RFFO
J. Roberson, AMER, RFFO
F. Lockhart, DAMER, RFFO
J. Wienand, ER, RFFO
P. Witherill, ER, RFFO
S. Stiger, EG&G
E. Mast, EG&G
L. Peterson-Wright, EG&G
Admin Record